



CorePro LEDcapsule MV

CorePro LEDcapsule ND 3.2-40W G9 827

This single-ended mains-voltage capsule for G9-base luminaires delivers directional light, making it a true alternative to halogen capsule lamps. It is particularly suitable for task lighting in shops, hotels and restaurants, and ideal for desk lamps and cabinet lighting. Compatible with existing fixtures with G9 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs, without any compromise on light quality.

Product data


General Information		Wattage equivalent	
Cap base	G9 [G9]	40 W	
Nominal lifetime (nom.)	15000 h	Starting time (nom.)	
Switching cycle	50000X	0.5 s	
Technical type	3.2-40W	Warm-up time to 60% light (nom.)	
		0.5 s	
		Power factor (nom.)	
		0.4	
		Voltage (Nom)	
		220-240 V	
Light Technical		Temperature	
Colour code	827 [CCT of 2700K]	T-Case maximum (nom.)	
Luminous flux (nom.)	400 lm	78 °C	
Luminous flux (rated) (nom.)	400 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated colour temperature (nom.)	2700 K	Dimmable	
Luminous efficacy (rated) (nom.)	125.00 lm/W	No	
Colour consistency	<6		
Color rendering index (nom.)	80	Approval and Application	
LLMF at end of nominal lifetime (nom.)	70 %	Suitable for accent lighting	
		No	
		Energy efficiency label (EEL)	
		A++	
		Energy Consumption kWh/1000 h	
		4 kWh	
Operating and Electrical		Product Data	
Input frequency	50 Hz	Full product code	
Power (Rated) (Nom)	3.2 W	871869681526700	
Lamp current (nom.)	30 mA	Order product name	
		CorePro LEDcapsule ND 3.2-40W G9 827	
		EAN/UPC – product	
		8718696815267	

CorePro LEDcapsule MV

Order code	81526700
Numerator – quantity per pack	1
Numerator – packs per outer box	12
Material no. (12NC)	929001902902

Net weight (piece)	0.012 kg
--------------------	----------


Dimensional drawing





Capsule 230V3.3W-40W 370lm 2700K G9 Non

Product	D	C
CorePro LEDcapsule ND 3.2-40W G9 827	17 mm	51.5 mm

Photometric data




LEDcapsule CorePro 3.2-40W G9 Capsule 827 ND




LEDcapsule CorePro 3.2-40W G9 Capsule 827 ND

CorePro LEDcapsule MV

Lifetime



LEDcapsule CorePro 3.2-40W G9 Capsule 827 ND



LEDcapsule CorePro 3.2-40W G9 Capsule 827 ND

