



# CorePro LEDbulbs

### LED Globe 100W G93 E27 WW FR ND 1CT/4

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

#### **Product data**

General Information	
Cap-Base	E27 [ E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	15-100W
Light Technical	
Color Code	827 [ CCT of 2700K]
Beam Angle (Nom)	200 °
Luminous Flux (Nom)	1521 lm
Luminous Flux (Rated) (Nom)	1521 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	101.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	15 W
Lamp Current (Nom)	90 mA

Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Approval and Application	
Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	15 kWh
Product Data	
Full product code	871869658061500


Datasheet, 2018, November 29 data subject to change

### CorePro LEDbulbs

Order product name	LED Globe 100W G93 E27 WW FR ND 1CT/4
EAN/UPC - Product	8718696580615
Order code	929001229401
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4

Material Nr. (12NC)	929001229401
Net Weight (Piece)	0.070 kg


### Dimensional drawing





bulb 100-240V 18W-100W1521Im 2700K E27ND

# Product D C LED Globe 100W G93 E27 WW FR ND 1CT/4 95 mm 128 mm

### Photometric data







### CorePro LEDbulbs

