

CorePro LEDbulbs

CorePro LED bulb ND 17.5-150W A67E27 840

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	17.5-150W

Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	2500 lm
Luminous Flux (Rated) (Nom)	2500 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	142.00 lm/W
Color Consistency	<7
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	17.5 W
Lamp Current (Nom)	165 mA
Wattage Equivalent	150 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	85 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Frosted

Approval and Application	
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	18 kWh


Product Data	
Full product code	871869681387400
Order product name	CorePro LED bulb ND 17.5-150W A67E27 840

CorePro LEDbulbs

EAN/UPC - Product	8718696813874
Order code	929001892502
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929001892502
Net Weight (Piece)	0.174 kg


Dimensional drawing




Product	D	C
CorePro LED bulb ND 17.5-150W A67E27 840	76.8 mm	142 mm


Bulb A67 plus 21-150W 2500lm 4000K E27

Photometric data






150W E27 A67 FR 150D 827 2700K




150W E27 A67 FR

CorePro LEDbulbs

Lifetime



150W E27 A67 FR



150W E27 A67 FR

© 2018 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.