

# Classic filament LED candles and lusters

## CLA LEDCandle ND 2-25W ST35 E14 827 CL

Featuring a classic heritage design, Classic filament LED candles and lusters combine the familiar shapes of classic incandescent candle or luster with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light candles and lusters.

### Product data


General Information		Lamp Current (Nom)	
Cap-Base	E14 [ E14]		20 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	25 W
Switching Cycle	20000X	Starting Time (Nom)	0.5 s
Technical Type	2-25W	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [ CCT of 2700K]	T-Case Maximum (Nom)	36 °C
Luminous Flux (Nom)	250 lm		
Luminous Flux (Rated) (Nom)	250 lm	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	No
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	125.00 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Finish	Clear
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Approval and Application	
		Energy Saving Product	Yes
		Suitable For Accent Lighting	No
		Energy Efficiency Label (EEL)	A++
Operating and Electrical			
Input Frequency	50 to 60 Hz		
Power (Rated) (Nom)	2 W		

# Classic filament LED candles and lusters

Energy Consumption kWh/1000 h	2 kWh
<b>Product Data</b>	
Full product code	871869657411900
Order product name	CLA LEDCandle ND 2-25W ST35 E14 827 CL
EAN/UPC - Product	8718696574119
Order code	929001238502

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001238502
Net Weight (Piece)	0.014 kg




## Dimensional drawing



filament 2.5W-25W 250lm NAD 2200K E14ND

Product	D	C
CLA LEDCandle ND 2-25W ST35 E14 827 CL	35 mm	97 mm

## Photometric data



## Classic filament LED candles and lusters

