



CorePro LEDspot MV

CorePro LEDspot 5-65W GU10 840 36D ND

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	5-65W
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	485 lm
Luminous Flux (Rated) (Nom)	485 lm
Luminous Intensity (Nom)	800 cd
Color Designation	Cool White (CW)
Rated Beam Angle	36 °
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	97.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	485 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz


Power (Rated) (Nom)	5 W
Lamp Current (Nom)	41 mA
Wattage Equivalent	65 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	72 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Suitable For Accent Lighting	Yes
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869674387400
Order product name	CorePro LEDspot 5-65W GU10 840 36D ND
EAN/UPC - Product	8718696743874

CorePro LEDspot MV

Order code	929001381302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001381302

Net Weight (Piece)	0.038 kg
--------------------	----------


Dimensional drawing




GU10 230V 5W-65W 460lm 36D 4000K ND

Product	D	C
CorePro LEDspot 5-65W GU10 840 36D ND	50 mm	54 mm


Photometric data



General Information 01 Photometry 01 Page 10





CorePro LEDspotMV 65W GU10 840 36D



CorePro LEDspotMV 65W GU10 830 36D

CorePro LEDspot MV

Lifetime



CorePro LEDspotMV 65W GU10 830 36D

CorePro LEDspotMV 65W GU10 830 36D

